

NEO-SENSITABS™

Susceptibility Testing

Unique characteristics ensure that NEO-SENSITABS™ are ideal for use in the laboratory

- ✓ Long shelf-life (Dry crystalline form)
- ✓ No loose of activity after opening of cartridges (opposite paper disks)
- ✓ Most products stored at room temperature (25 degrees)
- ✓ Inexpensive and reliable method
- ✓ Professional information on susceptibility testing

Susceptibility testing with NEO-SENSITABS™ practice is performed according CLSI and EUCAST guidelines.

Comparative studies from Rodrigues-Villalobos(1) and Justesen(2) conclude that there is an excellent correlation between Neo-Sensitabs results (EUCAST) and paper discs that are on the market.

NEO-SENSITABS™

Susceptibility

REF No.	Product Name	Potency µg	A,B,C Product	EU CAST	CLSI	QTY
A						
60012	Amikacin	30	A	✓	✓	
70112	Amoxicillin	30	B		✓	
69812	Amoxicillin + Clavulanate	• 2+1	B	✓		
60112	Amoxicillin + Clavulanate	• 20+10	A	✓	✓	
60212	Ampicillin	10	A	✓	✓	
66712	Ampicillin	2	B	✓		
63412	Ampicillin + Sulbactam	10+10	B		✓	
60312	Azithromycin	15	B	✓	✓	
63612	Aztreonam	30	A	✓	✓	
B						
70812	Bacitracin	40 U	B			
C						
65012	Cefaclor	30	C	✓	✓	
60412	Cefazolin	30	B		✓	
63712	Cefepime	• 30	A	✓	✓	
64812	Cefepime + Clavulanate	• 30+10	B			
63312	Cefixime	5	B	✓	✓	
63912	Cefotaxime	30	A		✓	
65812	Cefotaxime	5	B	✓		
66612	Cefotaxime + Phenyl Boronic Acid	30	C			
64712	Cefotaxime + Clavulanate	• 30+10	B			
80612	Cefoxitin	10	B			
62912	Cefoxitin	30	A	✓	✓	
63212	Cefpodoxime	• 10	B	✓	✓	
80912	Cefpodoxime + Clavulanate	• 10+1	B			
69312	Ceftaroline	30	B		✓	
89012	Ceftaroline	5	C	✓		
66012	Ceftazidime	10	B	✓		
64012	Ceftazidime	30	A		✓	
66512	Ceftazidime + Phenyl Boronic Acid	30	C			
64612	Ceftazidime + Clavulanate	• 30+10	B			
68412	Ceftibuten	30	C	✓		
64112	Ceftizoxime	30	B		✓	
67212	Ceftobiprole	• 30	C		✓	
89312	Ceftolozane + Tazobactam	30 + 10	C		✓	
64212	Ceftriaxone	30	B	✓	✓	
60512	Cefuroxime	30	A	✓	✓	
72812	Cephalexin	30	B		✓	
60612	Cephalothin	30	B		✓	
73012	Cephradine	60	C		✓	
60712	Chloramphenicol	30	B	✓	✓	

NEO-SENSITABS™

Susceptibility

REF No.	Product Name	Potency µg	A,B,C Product	EU CAST	CLSI	QTY
60812	Ciprofloxacin	5	A	✓	✓	
65312	Ciprofloxacin	1	C			
60912	Clarithromycin	15	B	✓	✓	
62512	Clindamycin	2	A	✓	✓	
66312	Colistin	10	B	✓	✓	
D						
80312	Daptomycin	30 +100	B			
66212	Doripenem	10	C	✓	✓	
63012	Doxycycline	30	B	✓	✓	
E						
80712	Ertapenem	• 10	B	✓	✓	
61012	Erythromycin	15	A	✓	✓	
F						
62312	Fosfomicin	• 200	B		✓	
67712	Fucidin	10	B	✓	✓	
74312	Fucidin	100	B		✓	
74412	Furazolidone	50	B		✓	
G						
61112	Gentamicin	10	A	✓	✓	
69512	Gentamicin	30	B	✓		
43012	Gentamicin	250	B	✓	✓	
I						
61212	Imipenem	10	A	✓	✓	
66412	Imipenem + EDTA	10 + 750	B			
K						
62412	Kanamycin	30	B		✓	
43112	Kanamycin	500	B		✓	
L						
74812	Levofloxacin	5	B	✓	✓	
67812	Linezolid	10	B	✓		
75112	Linezolid	30	B		✓	
M						
61312	Mecillinam	10	A	✓	✓	
64312	Meropenem	10	A	✓	✓	
75512	Metronidazole	16	B			
63112	Minocycline	30	B	✓	✓	
79812	Moxifloxacin	5	B	✓	✓	
75712	Mupirocin	10	B			
69212	Mupirocin	200	B	✓	✓	
N						
61412	Nalidixan	30	B	✓	✓	
75912	Neomycin	120	B			

NEO-SENSITABS™

Susceptibility

REF No.	Product Name	Potency µg	A,B,C Product	EU CAST	CLSI	QTY
69412	Netilmicin	10	C	✓		
61512	Netilmicin	30	B		✓	
67012	Nitrofurantoin	100	A	✓		
65712	Nitrofurantoin	200	C			
62612	Nitrofurantoin	300	A		✓	
76212	Norfloxacin	10	B	✓	✓	
76312	Novobiocin	5	B		✓	
O						
61612	Ofloxacin	5	B	✓	✓	
68312	Oxacillin	1	B	✓	✓	
P						
77012	Pefloxacin	5	B	✓		
76912	Pefloxacin (stop production)	10	C		✓	
66912	Penicillin	1 U	A	✓	✓	
61712	Penicillin	10 U	B		✓	
77212	Pipemidic Acid	30	C		✓	
68112	Piperacillin	30	C	✓		
77312	Piperacillin	100	B		✓	
66812	Piperacillin + Tazobactam	30 + 6	B	✓		
77412	Piperacillin + Tazobactam	100 + 10	B		✓	
77512	Polymyxins (Colistin)	150	A			
82712	Pristinamycin	15	B		✓	
R						
67312	Retapamulin	2	C			
62712	Rifampicin	5	B	✓	✓	
S						
77812	Spectinomycin	200	C		✓	
61812	Streptomycin	10	B		✓	
44712	Streptomycin	500	C		✓	
78112	Sulphonamides	240	A		✓	
T						
78312	Temocillin	• 30	B	✓	✓	
62012	Tetracyclines (Oxytetracycline)	30	A	✓	✓	
61912	Teicoplanin	30	B	✓	✓	
80112	Telithromycin	15	C	✓	✓	
64912	Ticarcillin	• 75	B	✓	✓	
64412	Ticarcillin + Clavulanate	• 75 + 10	C	✓	✓	
80412	Tigecycline	15	B	✓	✓	
62112	Tobramycin	10	B	✓	✓	
64512	Trimethoprim	5	A	✓	✓	
65512	Trimethoprim	2,5	C			
62212	Trimethoprim + Sulfa	1.25 + 23.75	A	✓	✓	

NEO-SENSITABS™

Susceptibility

REF No.	Product Name	Potency µg	A,B,C Product	EU CAST	CLSI	QTY
	V					
68812	Vancomycin	5	B	✓		
62812	Vancomycin	30	B		✓	

INFORMATION

A Products - On stock.

B Products - Generally available on stock.

C Products - Not on stock - Special orders.

CE Marking

All products are CE marked according to the European Directive 98/79/EC for In Vitro Diagnostic Medical Devices.

Storage

Most tablets are stored at room temperature. All • marked products must be stored in a refrigerator at 2 - 8 °C.

Packaging

Neo-Sensitabs are packed in cartridges containing 1 x 50 tablets.

Minimum order: 1 package containing 5 cartridges (250 tablets)

Instructions for Use – Neo-Sensitabs™

The Instructions for use are available on our website www.rosco.dk

Instructions can be downloaded in PDF format in up to 8 different European languages.

*** Rosco reserves the right to make changes.**

Distributed by:



Waversesteenweg 1110/7 Chaussée de Wavre

OUDEGEM 1160 AUDERGHEM - BELGIUM

T: +32 (0)2 663 15 45 - F: +32 (0)2 660 20 98

www.intermed.be - info@intermed.be