

2002

Basic, mobile treatment table with excellent all-around functionality for ophthalmology.



OPHTHALMIC
SURGERY

Order No. 12000000

ADVANTAGES



- Rugged, powder-coated steel chassis and sturdy upper frame
- Great freedom of movement for optimum access to the patients
- Foot switch for hydraulically powered overall up & down movements
- Trendelenburg & Reverse Trendelenburg position adjustments via the foot pedal (-18° / +13°)
- Height-adjustable head joint
- Standard rails, 25 x 10 mm, included



- Easy maneuverability thanks to manual "Steering Guide", adjustable via the foot switch
- Central brake actuated via foot switch – acting on four casters
- Continuous push handle on the foot end



- Comfortable three-piece cover surface with snug upholstery



EQUIPMENT



Height-adjustable head joint made of powder-coated steel, with trapezoid Head pillow without cavity.



Height adjustment at the push of a foot.



Central braking system effective on all four wheels.



25 x 10 mm standard rail for the attachment of accessories.

SPECIFICATIONS

Chassis

- Frame profile 60 x 60 mm
- Outside length 1,140 mm
- Outside width 650 mm
- Caster, electrically conductive ø 150 mm

Lifting Column

- Foot hydraulic
- Height adjustment min./max. 560/910 mm
- Max. lifting force 2,000 N
- Footrest section 1,500 N
- Backrest section 800 N
- Headrest section 300 N
- Operating pressure 100 bar
- Hydraulic oil, DTE 10 EXCEL 32 ca. 0.7 liter

Upper Frame

- 3-part support frame (head, back, foot)
- Length 2,090 mm
- Width 650 mm
- Head adjustment -20°/+30°
- Back adjustment 0°/+55°
- Foot adjustment 0°/+15°
- Trendelenburg/Reverse Trendelenburg -18°/+13°
- Height adjustment range 360 mm
- Standard stainless steel side rails, both sides 25 x 10 mm
- Upholstery 40 mm

Max.Load

150 kg

Weight



115 kg

Subject to technical modifications.

Height-adjustable Head element.



Central brake system.



Please refer to page 63 for the entire range of accessories.

2002

ACCESSORIES



PADDED ARM BOARD
with universal joint, incl.
mounting clamp
Order No. 30110000

SIDE PARTS
(right + left) incl. quick-release
clamp for mounting on norm
rail, 580x200mm
Order No. 33510050



HEAD PILLOW WITH HOLLOW
trapeze, 24.5 x 17.5 x 25 cm,
height: 10 cm
Order No. 30410000

motionLine/motionLine-E

ACCESSORIES



BACKUP BATTERY
Order No. 30470000

not for motionLine



PAPER TRAY
transparent, incl. CNS hand-
hold
Order No. 30660000



I.V. POLE stainless steel
ø 25/18 mm, one-hand height-
adjustable 1070–1660 mm, 4
hooks, max. 2 kg 84.4lbs/hook,
glass and holder
Order No. 30680000



FLEXIBLE SURGICAL DRAPE
SUPPORT ROD (mounting
clamp not included)
with oxygen connection
Order No. 30330000



FLEXIBLE SURGICAL DRAPE
SUPPORT ROD (mounting
clamp not included)
without oxygen connection
Order No. 30320000



MOUNTING CLAMP
CNS
Order No. 30260000



FOOT PROTECTION FOIL
Order No. 33190000



INSTRUMENT TABLE
30 x 20 x 1.3 cm incl. arm,
adapter and sleeve
Order No. 33290000



ADAPTER
for I.V. Pole
Order No. 30820000