

motionLine-E

Uncompromising comfort for patient transport –
with electromotive position adjustment.



OPHTHALMIC
SURGERY

Order No. 17000001

ADVANTAGES



- Power supply-independent battery box with integrated emergency stop button
- Ergonomically shaped, comfortable push handles
- High-quality, comfortable and easy-care upholstery to meet even the most stringent hygiene requirements
- Infinitely adjustable, electronic back-/footrest and seat adjustment - easy and convenient to operate via the manual keypad
- Convenient and easy maneuvering by a single person
- Two large-sized casters on the foot end and two smaller-sized double casters on the head end for effortless movement by a single person
- Two brake levers for locking the seat casters for perfect position stability
- Provides a “shock position”



- Flexible, height-adjustable neck support cushion for added patient comfort
- Wide and sturdy covering for an outstanding level of comfort during reclining
- Ergonomically shaped backrest cushion with lumbar support
- Sturdy steel frame for patients weighing up to 135 kilograms
- Comfortable armrests for high patient safety, tiltable
- Low access height



EQUIPMENT



Flexible, adaptable and sturdy - the backrest moves synchronously with the footrest (55°) as the chair is electronically reclined to a recumbent position. The chair can also be adjusted to the stable "Trendelenburg" Position.



Wheel brakes on the left and right 360-degree rotating wheels hold the chair safely in place.



Flexible, height adjustable neck support pillow as standard version for enhanced patient relaxation.



Ergonomically formed, durable, non-sliding rubber grips.

Synchronized back-/footrest and seat adjustment via hand control.



High capacity, eco-friendly, independent battery box with emergency stop button.



Comfortable upholstery, anthracite F6461197 standard shade.

Please refer to page 63 for the entire range of accessories.

SPECIFICATIONS

Chassis

- Chassis length 890 mm
- Chassis width 528 mm
- Width incl. armrest 650 mm
- Wheel diameter \varnothing 300/125 mm
- Emergency stop button

Lifting Column

- 3 parts support frame
- Total length 1,710 mm
- Width 520 mm
- Upholstery Height 40/60 mm
- Back/foot adjustment 55°
- Armrests 0°/+180°
- Seatrest adjustment to Trendelenburg position 25°
- Electronic control system per keypad

- Synchronized back-/footrest and seat adjustment

Battery unit

- Battery box with 2 batteries (lead-gel), pollution free, maintenance-free, cadmium-free
- 2 x 12 V 7.2 Ah

- Universal battery charger: Input: 100-240 V, Output: 24 V



Max.Load 135 kg

Weight 64 kg

Upholstery colors Tundra skai

Standard color anthracite F6461197

Subject to technical modifications.



2002

ACCESSORIES



PADDED ARM BOARD
with universal joint, incl.
mounting clamp
Order No. 30110000

SIDE PARTS
(right + left) incl. quick-release
clamp for mounting on norm
rail, 580x200mm
Order No. 33510050



HEAD PILLOW WITH HOLLOW
trapeze, 24.5 x 17.5 x 25 cm,
height: 10 cm
Order No. 30410000



BACKUP BATTERY
Order No. 30470000

not for motionLine



PAPER TRAY
transparent, incl. CNS hand-
hold
Order No. 30660000



I.V. POLE stainless steel
ø 25/18 mm, one-hand height-
adjustable 1070–1660 mm, 4
hooks, max. 2 kg 84.4lbs/hook,
glass and holder
Order No. 30680000



FLEXIBLE SURGICAL DRAPE
SUPPORT ROD (mounting
clamp not included)
with oxygen connection
Order No. 30330000



FLEXIBLE SURGICAL DRAPE
SUPPORT ROD (mounting
clamp not included)
without oxygen connection
Order No. 30320000



MOUNTING CLAMP
CNS
Order No. 30260000



FOOT PROTECTION FOIL
Order No. 33190000



INSTRUMENT TABLE
30 x 20 x 1.3 cm incl. arm,
adapter and sleeve
Order No. 33290000



ADAPTER
for I.V. Pole
Order No. 30820000