

November 2019

"Here to **Support** you with Precision **Reusable** Titanium Instruments"







The decision to choose our reusable instruments over single-use alternatives is a simple one. Not only are you investing in world-renowned high quality titanium alloy products, but also in instruments that have less impact on the environment and are more cost-beneficial in the long term.

When you invest in a Duckworth & Kent instrument you are purchasing a product that will serve you impeccably for innumerable years and countless procedures.

This range of instruments comprises three sections:

A <u>Sub-Tenon's Selection</u>

A recommended set of instruments used for administering local anaesthetic into the sub-Tenon's space prior to surgery.

B Essential Cataract Set

A series of 5 sub-sections offering a choice of essential instruments required for cataract surgery: B1: specula; capsulorhexis forceps; : manipulators; B5: irrigation & aspiration.

C Occasional Range


An extremely useful collection of instruments that may be required on an occasional basis. This encompasses situations such as blepharospasm or small inter-palpebral fissures; suturing wounds; weak zonules or capsule dehiscence; challenging nucleus cracking; explanting IOL implants; iris and IOL implant manipulation.

View online or download a PDF leaflet at www.duckworth-and-kent.com/cataract



6-085

Barrett Duo Nucleus Rotator / Manipulator / Splitter





Nucleus Splitter

- Straight, sharp inner/outer sides of tip, length 1.25mm
- Cutting edges 60° to axis
- 45° angled shaft, tip to angle length 14mm


Rotator / Manipulator

- 0.65mm mushroom tip
- \bullet 45° angled shaft, tip to angle length 10mm
- Barrett balanced set handle, length 124mm

2-716GER8-1

Inamura Round Handle Capsulorhexis Forceps

Incisions down to 1.8mm






- Sharp pointed serrated tips
- Cross action tips, 1.5mm width at pivot box
- Curved shaft, tip to pivot point 10.5mm
- Marks on shaft 2.5mm and 5mm denote desired size of capsulorhexis
- Tips angled 45° from shaft
- Round handle, overall length 111mm
- Design registration number 004383396-0001

9-551


Barraquer Adult Speculum



- 14.5mm closed blades
- Angled to rest temporally
- Single piece construction



Cost Calculator for Essential Cataract Set



See how much you can save by investing in our innovative precision engineered reusable titanium product range.

www.duckworth-and-kent.com/cost-saving-calculator




New E-Range Arrivals

E-Range Instruments


Elegant - Ergonomic - Precision Engineered

This range represents the application of cutting edge technology fused with over 60 years of engineering knowledge. They offer surgeons an elegant, well balanced and ergonomically designed handle, providing our consistent high quality. Design registration number 004383396-0001



2-108E

Rabkin Blepharoplasty Tissue Forceps






- 0.5mm, 1 x 2 flat teeth, 6mm tying platforms
- Straight shafts
- Flat handle, length 115mm
- Design registration number 004383396-0001

DK7717E

IOL Loading Forceps





- For loading AcrySof IOL into the MONARCH II and III cartridges
- Highly polished tips protect from scratching the lens surface
- Round handle, length 119mm
- Design registration number 004383396-0001

Now available to view in 360°

Visit - www.duckworth-and-kent.com

New Arrival

www.duckworth-and-kent.com









We are here to help

Interested in our product ranges or have a general enquiry, please contact our dedicated **Customer Service Team**.

Email: info@duckworth-and-kent.co.uk

Tel: +44 (0)1462 893254 Fax: +44 (0)1462 896288



ISO 9001:2015 and ISO 13485:2016 Certified

© November 2019 Duckworth & Kent

D&K® is a registered trademark. All other brand names are trademarks or registered trademarks of their respective owners. All schematic line drawings, photographs and copy in this leaflet are fully protected by copyright. No part of this leaflet may be reproduced in any form without prior written permission. We reserve the right to make changes at any time, without notice, in product specifications and availability. Descriptive, typographic, or photographic errors are subject to correction. Name(s) of instruments are often comprised of surgeon's name, combination of surgeons' names or by the category of the instrument.